

ISLAND CITY

Dec 29<sup>th</sup> 1884

Hon A Loudon Snowden

Supt. U. S. Mint

Dear Sir

In reply to the communication from O B Jones Jas L Eyster and other Clerks with regard to radiator in their room. With your consent I can spare the steam for that purpose

In your communication you requested a report on the amount of steam used by the old method and the new. In heating by the old no care was exercised in the saving of steam, as the coils are in the basement of the Mint and the heat has to ascend by flue in my opinion we lost 40 per cent for the simple reason that the flues are not sealed and a great portion of the heat



escaped through the walls  
 before it reached its proper  
 destination. By the new method  
 we place the heating apparatus  
 directly in the room and they get  
 the benefit of all the heat being under  
 their control they can shut off or turn  
 on steam as required. for instance  
 by the old plan we turn on all the  
 steam the pipe will convey yet they  
 complain of not having enough  
 heat. by the new plan half of that  
 steam would drive them all out of  
 their rooms. All of the larger  
 establishments in the City use this  
 plan for instance Wanamakers  
 Penn R R Office Penn R R Depot  
 and many others. all of which I  
 submit for your consideration  
 I remain most  
 Respectfully yours  
 John L McGinnis

December 29, 1884

Hon. A. Loudon Snowden  
Supt. U.S. Mint

Dear Sir

In reply to the communication from O.B. Jones, Jas. L. Eyster and other Clerks with regard to radiator in their room. With your consent I can spare the steam for that purpose.

In your communication you requested a report on the amount of steam used by the old method and the new. In heating by the old no care was exercised in the saving of steam, as the coils are in the basement of the Mint and the heat has to ascend by flue in my opinion we lost 40 per cent for the simple reason that the flues are not sealed and a great portion of the heat escaped through the walls before it reached its proper destination. By the new method we place the heating apparatus directly in the room and they get the benefit of all the heat being under their control they can shut off or turn on steam as required, for instance by the old plan we turn on all the steam the pipe will convey yet they complain of not having enough heat. By the new plan half of that steam would drive them all out of their rooms. All of the larger establishments in the City use this plan for instance Wanamaker's, Penn. R.R. Office, Penn. R.R. Depot, and many others. All of which I submit for your consideration.

I remain most  
Respectfully yours  
John L. McGinnis